Inspection Agency Iowa Dept. of Agriculture & Land Stewardship	Dairy Farm Inspection Report	Grade Type:	
Producer Name:	Well Water Date:	Producer Number:	
Address:	Lbs. Per Day:	Permit Number:	
BTU:	Milking Time: Yes	No Reinspection: Yes No	
Remarks:			
Inspection of your farm showed violations existing in the items identified with an "X" below. You are further notified that this inspection sheet serves as notification of the intent to suspend your permit if the violations noted are not in compliance by			
If you wish to appeal this report you may do so in writing within thirty (30) days of this report, requesting a hearing to the Iowa Department of Agriculture, Dairy Products Control Bureau, Wallace Bldg., Des Moines, IA 50319.			

Cows	(Cleaning Facilities)	Transfer/Protection of Milk
1. Abnormal Milk:	Two-compartment wash and rinse vat of adequate	14. Protection From Contamination:
Cows secreting abnormal milk milked last or in	size(a)	No overcrowding
separate equipment(a)	Suitable water heating facilities(b)	Product and CIP circuits separated(b)
Abnormal milk properly handled/disposed of(b)	Water under pressure piped to milkhouse(c)	Improperly handled milk discarded(c)
Proper care of abnormal milk handling equipment(c)	6. Cleanliness:	Immediate removal of milk
	Floors, walls, windows, tables and similar non-	Milk and equipment properly protected(e)
Milking Barn, Stable, or Parlor	product-contact surfaces clean(a)	Sanitized milk surfaces not exposed to contamination (f)
2. Construction:	No trash, unnecessary articles, animals or fowl(b)	Air under pressure of properly quality(g)
Floors, gutters, and feed troughs of concrete or	·	15. Drug and Chemical Control:
equally impervious materials; in good repair	Toilet and Water Supply	Cleaners and sanitizers properly identified
Walls and ceilings smooth, painted or finished	7. Toilet:	Drug administration equipment properly handled and
adequately; in good repair; ceiling dust-tight(b)	Provided; conveniently located(a)	stored(b)
	Constructed and operated according to <i>Ordinance</i> (b)	Drugs properly labeled (name and address) and stored (c)
Separate stalls or pens for horses, calves, and bulls; no overcrowding(c)	No evidence of human wastes about premises(c)	Drugs properly labeled (directions for use, cautionary
Adequate natural and/or artificial light; well	Toilet room in compliance with <i>Ordinance</i> (d)	statements, active ingredient)(d)
distributed(d)	8. Water Supply:	Drugs properly used and stored to preclude contamination
	Constructed and operated according to <i>Ordinance</i> (a)	of milk(e)
Properly ventilated(e)	Complies with bacteriological standards(b)	
3. Cleanliness:		Personnel
Clean and free of litter(a)	No connection between safe and unsafe supplies; no improper submerged inlets(c)	16 W 1 11 E 216
No swine or fowl(b)	no improper submerged iniets(c)	16. Hand-washing Facilities:
4. Cowyard:	Utensils and Equipment	Proper hand washing facilities convenient to milking
Graded to drain; no pooled water or wastes	• •	operations(a)
Cowyard clean; cattle housing areas & manure packs	9. Construction:	Wash and rinse vats not used as hand-washing facilities(b)
properly maintained(b)	Smooth, impervious, nonabsorbent, safe materials;	17. Personnel Cleanliness:
No swine(c)	easily cleanable(a)	Hands washed clean and dried before milking, or
Manure stored inaccessible to cows	In good repair; accessible for inspection(b)	performing milkhouse functions; rewashed when
Milkhouse or Room	Approved single-service articles; not reused(c)	_ contaminated(a)
	Utensils and equipment of proper design(d)	_ Clean outer garments worn (b)
5. Construction and Facilities:	Approved mechanically cleaned milk pipeline	Cooling
(Floors)	system(e)	-
Smooth; concrete or other impervious material in	10. Cleaning:	18. Cooling:
good repair(a)	Utensils and equipment clean(a)	Milk cooled to 45°F. or less within 2 hours after milking,
Graded to drain(b)	11. Sanitization:	except as permitted by <i>Ordinance</i> (a)
Drains trapped, if connected to sanitary system(c)	All multi-use containers and equipment subjected to	Recirculated cooling water from safe source and properly
(Walls and Ceilings)	approved sanitization process (See Ordinance)(a)	protected; complies with bacteriological standards (b)
Approved material and finish(a)	12. Storage:	An acceptable recording device shall be installed and
Good repair (windows, doors and hoseport included) (b)	All multi-use containers and equipment properly	maintained when required(c)
(Lighting and Ventilation)	stored(a)	Pest Control
Adequate natural and/or artificial light; properly	Stored to assure complete drainage, where	rest Control
distributed(a)	applicable(b)	19. Insect and Rodent Control:
Adequate ventilation(b)	Single-service articles properly stored(c)	Fly breeding minimized by approved manure disposal
Doors/windows closed during dusty weather(c)	Milking	methods (See Ordinance)(a)
Vents and lighting fixtures properly installed (d)	lymking	Manure packs properly maintained(b)
(Miscellaneous Requirements)	13. Flanks, Udders, and Teats:	All milkhouse openings effectively screened or otherwise
Milkhouse operations only; sufficient size(a)	Milking done in barn, stable or parlor(a)	protected; doors tight and self-closing; screen doors open
No direct opening into living quarters or barn,	Brushing completed before milking begun(b)	outward(c)
except as permitted by Ordinance(b)	Flanks, bellies, udders and tails of cows clean at	Milkhouse free of insects and rodents(d)
Liquid wastes properly disposed of(c)	time of milking; clipped when required(c)	Approved pesticides; used properly(e)
Proper hoseport where required (d)	Teats cleaned, treated with sanitizing solution (if	Equipment and utensils not exposed to pesticide
Acceptable surface under hoseport(e)	required) and dried, prior to milking(d)	contamination(f)
Suitable shelter for transport truck as required(f)	No wet hand milking(e)	Surroundings neat and clean; free of harborages and
		breeding areas(g)
		Feed storage not attraction for birds, rodents or insects(h)
Date:	Sanitarian:	

WHITE-Farm PINK-Office YELLOW-Field BLUE-Inspector